

### **Updated Design for PA/PP Notices**

**Protected Area Signage** 

## PROTECTED AREA

**FORCE MAY BE USED** NO ENTRY FOR **UNAUTHORISED PERSONS** 

**TINDAKAN KERAS AKAN DIAMBIL DILARANG MASUK** TANPA KEBENARAN

KAWASAN LARANGAN



# 保护区

闲人免进 擅闯者可遭 强行处置

உத்தரவின்றி நுழைய அனுமதி இல்லை. அத்துமீறுவோர் பலவந்தமாகக் கையாளப்படலாம்

பாதுகாக்கப்பட்ட இடம்





### **Protected Place Signage**

## PROTECTED PLACE

FORCE MAY BE USED NO ENTRY FOR UNAUTHORISED PERSONS

TINDAKAN KERAS AKAN DIAMBIL DILARANG MASUK TANPA KEBENARAN

TEMPAT LARANGAN



# 保护区

闲人免进 擅闯者可遭 强行处置

உத்தரவின்றி நுழைய அனுமதி இல்லை. அத்துமீறுவோர் பலவந்தமாகக் கையாளப்படலாம்

பாதுகாக்கப்பட்ட இடம்



### **Signage Specifications**

The material, design and construction of the warning notice shall be as follows:

#### a) Warning Notice

The warning notice shall be made of sturdy material (example: rx. 18G aluminium sheet) sprayed in red background (Colour code #FE0002). The warning notice shall carry warning notices printed in English, Chinese, Malay and Tamil. It shall also depict an armed guard at attention position. The overall size should be 1220mm by 810mm.

### b) Text and Characters

The height of all Captions and Instructions shall be 50mm and 35mm, respectively. All text and characters shall be evenly and symmetrically aligned, printed in glossy white colour against the red background of the warning notice.

#### c) Silhouette and Border

The notice shall depict one silhouette enclosed within a white border of thickness 9mm, with height and width 400mm by 400mm.